

Table 26. Natural gas home customer-weighted heating degree days

Month/Year/Type of data	New England	Middle Atlantic	East North Central	West North Central	South Atlantic
	CT, ME, MA, NH, RI, VT	NJ, NY, PA	IL, IN, MI, OH, WI	IA, KS, MN, MO, ND, NE, SD	DE, FL, GA, MD, DC, NC, SC, VA, WV
<b>November</b>					
Normal	702	665	758	841	442
2018	780	751	900	987	517
2019	800	767	890	904	518
% Diff (normal to 2019)	14.0	15.3	17.4	7.5	17.2
% Diff (2018 to 2019)	2.6	2.1	-1.1	-8.4	0.2
<b>December</b>					
Normal	1,045	995	1,136	1,249	700
2018	972	900	976	1,087	624
2019	1,020	947	953	1,078	586
% Diff (normal to 2019)	-2.4	-4.8	-16.1	-13.7	-16.3
% Diff (2018 to 2019)	4.9	5.2	-2.4	-0.8	-6.1
<b>January</b>					
Normal	1,208	1,155	1,303	1,391	803
2019	1,166	1,129	1,288	1,347	732
2020	988	938	1,033	1,205	613
% Diff (normal to 2020)	-18.2	-18.8	-20.7	-13.4	-23.7
% Diff (2019 to 2020)	-15.3	-16.9	-19.8	-10.5	-16.3
<b>February</b>					
Normal	1,063	1,011	1,095	1,113	658
2019	1,030	965	1,081	1,311	525
2020	915	861	1,028	1,101	542
% Diff (normal to 2020)	-13.9	-14.8	-6.1	-1.1	-17.6
% Diff (2019 to 2020)	-11.2	-10.8	-4.9	-16.0	3.2
<b>March</b>					
Normal	887	823	865	858	484
2019	933	868	950	993	504
2020	739	651	725	732	328
% Diff (normal to 2020)	-16.7	-20.9	-16.2	-14.7	-32.2
% Diff (2019 to 2020)	-20.8	-25.0	-23.7	-26.3	-34.9
<b>November to March</b>					
Normal	4,905	4,649	5,157	5,452	3,087
2019	4,881	4,613	5,195	5,725	2,902
2020	4,462	4,164	4,629	5,020	2,587
% Diff (normal to 2020)	-9.0	-10.4	-10.2	-7.9	-16.2
% Diff (2019 to 2020)	-8.6	-9.7	-10.9	-12.3	-10.9

See footnotes at end of table.

Table 26. Natural gas home customer-weighted heating degree days – continued

Month/Year/Type of data	East South Central	West South Central	Mountain	Pacific <sup>b</sup>	U.S. Average <sup>b</sup>
	AL, KY, MS, TN	AR, LA, OK, TX	AZ, CO, ID, MT, NV, NM, UT, WY	CA, OR, WA	
<b>November</b>					
Normal	455	305	739	366	589
2018	557	382	727	269	653
2019	558	350	681	291	644
% Diff (normal to 2019)	22.6	14.8	-7.9	-20.5	9.3
% Diff (2018 to 2019)	0.2	-8.4	-6.3	8.2	-1.4
<b>December</b>					
Normal	722	537	998	531	884
2018	618	471	950	494	786
2019	559	419	921	511	778
% Diff (normal to 2019)	-22.6	-22.0	-7.7	-3.8	-12.0
% Diff (2018 to 2019)	-9.6	-11.0	-3.1	3.4	-1.0
<b>January</b>					
Normal	829	612	1,026	531	991
2019	736	543	955	475	944
2020	616	422	908	496	808
% Diff (normal to 2020)	-25.7	-31.1	-11.5	-6.6	-18.5
% Diff (2019 to 2020)	-16.3	-22.3	-4.9	4.4	-14.4
<b>February</b>					
Normal	650	441	828	427	818
2019	470	389	934	603	835
2020	572	426	878	405	757
% Diff (normal to 2020)	-12.0	-3.4	6.0	-5.2	-7.5
% Diff (2019 to 2020)	21.7	9.5	-6.0	-32.8	-9.3
<b>March</b>					
Normal	458	275	696	393	649
2019	505	328	721	426	706
2020	287	149	670	484	552
% Diff (normal to 2020)	-37.3	-45.8	-3.7	23.2	-15.0
% Diff (2019 to 2020)	-43.2	-54.6	-7.1	13.6	-21.8
<b>November to March</b>					
Normal	3,114	2,170	4,287	2,248	3,931
2019	2,886	2,113	4,287	2,267	3,924
2020	2,592	1,766	4,058	2,187	3,539
% Diff (normal to 2020)	-16.8	-18.6	-5.3	-2.7	-10.0
% Diff (2019 to 2020)	-10.2	-16.4	-5.3	-3.5	-9.8

<sup>a</sup> Normal is based on calculations of data from 1971 through 2000.<sup>b</sup> Excludes Alaska and Hawaii.**Note:** See Appendix A, Explanatory Note 10, for discussion of Heating Degree-Days computations.**Source:** National Oceanic and Atmospheric Administration.